

# Share key messages and become a HPV vaccine champion

Ms Yvonne Morrissey, Business Project Manager, National Immunisation Office

NIO Lunch and Learn Series – January 2023





"Get the Facts,

Get the Vaccine,

Protect Our Future"

Laura Brennan, HPV vaccine advocate








Some HPV viruses cause cervical cancer and some cause genital warts.

HPV viruses can also cause vaginal, vulval, anal or rectal and penile cancers.





cancer.gov/hpv



### Each year in Ireland:

- HPV causes 406 cancers in both women and men
- over 6,500 women need hospital treatment for pre-cancer of the cervix
- 300 women get cervical cancer
- 90 women die from cervical cancer






## HPV virus facts

HPV virus causes 1 in 20 cancers worldwide.


Estimated 570,000 women and 60,000 men getting an HPV-related cancer each year





The HPV vaccine protects against genital warts, cervical cancer and other cancers.







Over 140 countries and territories now give HPV vaccine as part of their national immunisation schedule, with more than 50 of these countries giving the vaccine to boys and girls. These countries include:

- UK
- Norway
- Australia
- US
- New Zealand



Vaccines are strictly monitored and reviewed regularly by international bodies including:

- the World Health Organization
- the European Medicines Agency
- the Centers for Disease Control and Prevention in the USA

All international bodies have continually reported that the HPV vaccine is safe.

Visit www.immunisation.ie for background information

### HPV vaccine safety and effectiveness

#### HPV Vaccine Safety and Effectiveness 2006 - 2022

Since HPV vaccine was licensed in 2006 research has been conducted all over the world that demonstrates that the vaccine is safe and prevents pre-cancers. The evidence has been steadily growing since 2006 and now a large bank of research exists which proves the safety and effectiveness of this vaccine.

This heat map below shows the countries which have conducted most research on HPV vaccine. However, studies have been conducted worldwide which confirm that HPV vaccination is the right way to protect girls from cervical cancer.

Over 140 countries and territories now have a HPV vaccine programme, with more than 50 of these giving the vaccine to boys and girls.

We have been asked if the HPV vaccine is linked to chronic fatigue like conditions. A number of studies have been conducted that show there is no link between the HPV vaccine and chronic fatigue like conditions. You can read these studies here.

#### 2022

April

The April convening of the WHO Strategic Advisory Group of Experts on Immunization (SAGE) evaluated the evidence that has been emerging over past years that single-dose HPV vaccination schedules provide comparable efficacy to the two or three-dose regimens.

SAGE's review concluded that a single-dose of HPV vaccine delivers solid protection against HPV, comparable to that delivered by two-dose schedules.

SAGE considered the evidence from an updated systematic review on the immunogenicity, efficacy, and effectiveness of singledose vaccination schedules compared with no vaccination and multidose schedules. The review included 55 studies, 20 of which were new studies not included in a previous review conducted in 2019. The review showed comparable efficacy and effectiveness between single- and multidose schedules in preventing persistent infection with HPV serotypes 16 and 18, lasting up to 10 years following varcination.

Further evidence on single-dose schedules from efficacy trials, including trials for which interim results were reviewed by SAGE, will become available during the next three years.

The report from the April 2022 WHO SAGE meeting is available here: <a href="https://www.who.int/publications/i/item/who-wer9724-261-276">https://www.who.int/publications/i/item/who-wer9724-261-276</a>



Most people have no problems after the HPV vaccine.

Some can have an area of soreness, swelling and redness in their arm where the injection was given.

Some may get a headache, feel sick in their tummy or run a slight temperature.

This usually passes after a day or two.





ARTICLES | VOLUME 398, ISSUE 10316, P2084-2092, DECEMBER 04, 2021

The effects of the national HPV vaccination programme in England, UK, on cervical cancer and grade 3 cervical intraepithelial neoplasia incidence: a register-based observational study

Milena Falcaro, PhD • Alejandra Castañon, PhD • Busani Ndlela, PhD • Marta Checchi, MSc • Kate Soldan, PhD • Jamie Lopez-Bernal, PhD • et al. Show all authors

Published: November 03, 2021 • DOI: https://doi.org/10.1016/S0140-6736(21)02178-4 •



ORIGINAL ARTICLE

### HPV Vaccination and the Risk of Invasive Cervical Cancer

Jiayao Lei, Ph.D., Alexander Ploner, Ph.D., K. Miriam Elfström, Ph.D., Jiangrong Wang, Ph.D., Adam Roth, M.D., Ph.D., Fang Fang, M.D., Ph.D., Karin Sundström, M.D., Ph.D., Joakim Dillner, M.D., Ph.D., and Pär Sparén, Ph.D.

Article

Figures/Media

Metrics

N Engl J Med 2020; 383:1340-1348 DOI: 10.1056/NEJMoa1917338

October 1, 2020

Chinese Translation 中文翻译



39 References 417 Citing Articles




### Get informed





Point people to credible sources of vaccine information


www.hpv.ie







### Join us in sharing information





### **HSE NATIONAL IMMUNISATION OFFICE**

#### www.immunisation.ie



VIDEOS

PLAYLISTS





and why its important for patients to be vaccinated when the are aged 65 with pneumocccoal vaccine which is also called



What is HPV?











285 posts 751 followers

National Immunisation Office

We provide trusted, up-to-date information about HSE immunisation programmes for children, adults and healthcare professionals in Ireland.











TREELS



D TAGGED





### Report misinformation





## HE What can you do?

Become a vaccine champion!

Thank you



