

	<b>Nursing Home Inspection Report</b>			
	Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.			
<b>Nursing Home</b>	Ard Na Ri	<b>Inspection Report</b>		
<b>Number of Residents</b>	24			
<b>Registered for</b>	25			
<b>Nursing Home Address</b>	Holycross, Bruff, Co. Limerick			
<b>Proprietor</b>	Ms. Daveen Heyworth & Mr. Derek Paterson			
<b>Proprietor's Address (if different from above)</b>				
<b>Person-in-Charge of Nursing Home</b>	Ms. Daveen Heyworth			
<b>Date and Time of Inspection(s)</b>	20/11/2007	<b>Findings</b>		
<b>Date report issued</b>	05/12/07			
<b>Summary of previous report findings</b>	The previous inspection from 12/04/07 showed the nursing home to be substantially compliant with current nursing home inspectorate regulations at the time of inspection.			
	<b>Current Inspection Summary Findings</b>			
<b>Compliance status</b>	<b>Findings of latest (unannounced) inspection which took place on 20/11/2007</b>  The inspectors findings based on the <a href="#">current nursing home inspectorate regulations</a> are as follows:			

	<b>Nursing Home Inspection Report</b>		
	Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.		
<b>Summary Findings of Current Nursing Home Inspection</b>	<ul style="list-style-type: none"><li><b>Under Care &amp; Staffing the nursing home was compliant with 21 out of 21 regulations.</b> On the basis of this inspection and under current nursing home regulations, the inspection team would consider that the nursing home provides a good standard of Care and Staffing for residents.</li></ul>	Compliance/Non Compliance	
	<ul style="list-style-type: none"><li><b>Under Management the nursing home was compliant with 27 out of 27 regulations.</b> On the basis of this inspection and under current nursing home regulations, the inspection team would consider the nursing home to have a good standard of management.</li></ul>		
	<ul style="list-style-type: none"><li><b>Under Physical Environment the nursing home was compliant with 11 out of 11 regulations.</b> On the basis of this inspection and under current nursing home regulations, the inspection team would consider the nursing home provides a good Physical Environment for residents.</li></ul>		
All regulations, their reference numbers and the details of those regulations can be viewed in <a href="#">Nursing Homes (Care and Welfare) Regulations, 1993.</a>			
	<b>Comments and Recommendations</b>		
Comments and recommendations made by the inspection team as a result of the inspection	<ul style="list-style-type: none"><li>All call bell leads should be made long enough to reach the residents when they are seated out of their beds</li><li>Nothing shall be stored in the sluice that is not directly associated with sluicing activities</li><li>As discussed at inspection a cleaning room equipped with a sluice sink provided with hot and cold running water and space for storage of cleaning equipment should be made available on both floors</li><li>As pointed out on inspection broken floor tile in day room shall be replaced in the interest of patient safety.</li></ul>	Recommendations	
This report has been completed/issued by	Pat Fitzgerald. Local Health Manager	Author	