

Secondary school vaccination programme



Name: _____

Vaccination Date: ___ / ___ / _____

Time of vaccination: ___ : ___

Your child was given the following vaccines today

HPV _____

LEFT ARM

RIGHT ARM

Tdap

LEFT ARM

RIGHT ARM

MenACWY

LEFT ARM

RIGHT ARM

Reactions that can sometimes happen include:

- soreness, swelling and redness where the injection was given (this usually passes after a day or two)
- dizziness
- headache

Occasionally your child may feel sick or have a mild fever. On rare occasions some children may have an itchy rash or hives.

You can give your child paracetamol or ibuprofen to relieve aches and pains or to lower the fever. If you are concerned about your child please seek medical advice.

The school vaccination team can be contacted during office hours from Monday to Friday at:

If you require medical advice after these hours please contact your GP.

You will get a record of the vaccine you received today. **Please keep this safe.**

3 doses of HPV vaccine are needed for people who are immunocompromised (have a significantly weak immune system). If your child needs 3 doses please contact the school vaccination team to request an appointment.

For more information see

www.immunisation.ie www.hpv.ie

You can also find links to the patient information leaflets for the vaccines at www.hpra.ie. Search for Gardasil 9 (HPV), Nimenrix (MenACWY) or Boostrix (Tdap) to read the relevant patient information leaflet.